

GOVERNMENT OF ANDHRA PRADESH  
ABSTRACT

Panchayat Raj & Rural Development Department - Utilization of accumulated 0.50% Quality Control Charges for maintenance of Quality Control labs for the year 2014-15 – Administrative sanction for Rs.10.00 lakhs and Rs. 8.50 lakhs for each Vigilance and Quality Control Division & Sub-Division respectively – Accorded – Orders – Issued.

-----

PANCHAYAT RAJ & RURAL DEVELOPMENT (PROGS.II) DEPARTMENT

G.O.RT.No. 804

Dated:12-08-2014

Read the following:-

1. G.O.Rt.No.799, PR & RD (Progs.II) Dept.,dt.14.5.13.
2. From the Chief Engineer, V&QC, PR, Hyd, Lr.No.QC1/DEE1/0.50% QC charges/Mtc QC labs/2014-15, dt.26.06.2014.

\*\*\*

**ORDER:**

In the G.O. 1<sup>st</sup> read above, orders were issued according administrative sanction for an amount of Rs. 338.00 lakhs towards maintenance of Quality Control labs @ Rs.6.50 lakhs per each of (7) Vigilance and Quality Control Divisions and (45) Sub-divisions for the financial year 2013-2014 by utilizing the available and accumulated amount under 0.50% Quality Control charges in each district from other than PAO grants.

**2.** In the reference 2<sup>nd</sup> read above, the Chief Engineer, Vigilance and Quality Control, Hyderabad, has submitted the proposals requesting to accord Administration Sanction for an amount of Rs.270.00 lakhs for maintenance of Quality Control labs @ Rs.10.00 lakhs per each of (4) Divisional Quality Control labs and @ Rs.8.50 lakhs per each of (27) Sub-divisions and also proposed to provide an additional amount of Rs.0.50 lakhs for Vijayawada Quality Control Division to meet the monthly expenditure of Data cards and mobiles supplied to the officers/staff of Vigilance and Quality Control Wing of Head Office for the financial year 2014-15 which will be met from the available and accumulated amount under 0.50% Quality Control charges in each district from other than PAO grants.

**3.** Government, after examination of the proposals, hereby accord administrative sanction for an amount of Rs.270.00 lakhs for maintenance of Quality Control labs @ Rs.10.00 lakhs per each of (4) Divisional Quality Control labs and @ Rs.8.50 lakhs per each of (27) Sub-divisions and an additional amount of Rs.0.50 lakhs to Vijayawada Quality Control division for the financial year 2014-15 which shall be met from the available and accumulated amount under 0.50% Quality Control charges in each district from other than PAO grants. The details of Quality Control Divisions and Sub-Divisions with estimated cost is appended to this order.

(PTO)

::2::

**4.** The Chief Engineer, Vigilance and Quality Control, Andhra Pradesh, Hyderabad shall take necessary action accordingly.

**5.** A copy of this order is available on the internet and can be accessed at [www.ap.gov.in/goir](http://www.ap.gov.in/goir).

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Dr. K.S. JAWAHAR REDDY  
SECRETARY TO GOVERNMENT

To

The Chief Engineer, Vigilance and Quality Control,  
Andhra Pradesh, Hyderabad.

The Engineer-in-Chief, Panchayat Raj, Andhra Pradesh,  
Hyderabad.

**Copy to:**

The Commissioner, Rural Development, Andhra Pradesh,  
Hyderabad.

The Commissioner, Panchayat Raj & Rural Employment,  
Andhra Pradesh, Hyderabad.

The P.S. to Min.(PR&RWS)/ P.S. to Prl. Secretary (PR)  
S.C./S.f.

//FORWARDED BY ORDER//

SECTION OFFICER

Annexure to G.O.RT.No. 804,PR&RD (PROGS.II)Dept, dt. 12.08.2014.

Annexure

Proposal for "Maintenance of QC lab cum office building to V&QC Divisions and Sub-Divisions of Andhra Pradesh State for the year 2014-15 under 0.50% QC charges.

Sl.No.	Name of QC Division	District	Sub-Division	Est. Cost (Rs. in lakhs	Remarks
1	2	3	4	5	6
1	Visakhapatnam			10.000	
		Vizianagaram	Vizianagaram	8.500	
			Parvathipuram	8.500	
		Srikakulam	Srikakulam	8.500	
			Palakonda	8.500	
		Visakhapatnam	Visakhapatnam	8.500	
			Paderu	8.500	
2	Vijayawada			10.500	
		Krishna	Vijayawada	8.500	
			Machilipatnam	8.500	
		East Godavari	Kakinada	8.500	
			Rajahmundry	8.500	
		West Godavari	Eluru	8.500	
			Bheemavaram	8.500	
3	Parchur			10.000	
		Prakasam	Ongole	8.500	
			Markapuram	8.500	
		Nellore	Nellore	8.500	
			Guduru	8.500	
		Guntur	Guntur	8.500	
			Narasaraopeta	8.500	
4	Kadapa			10.000	
		Kurnool	Kurnool-I	8.500	
			Kurnool-II	8.500	
			Nandyal	8.500	
		Kadapa	Kadapa	8.500	
			Jammalamadugu	8.500	
		Anantapur	Ananthapur	8.500	
			Penugonda	8.500	
		Chittoor	Tirupathi	8.500	
			Chittoor	8.500	
				<b>270.00</b>	

Requirement for QC labs maintenance for the financial year 2014-15 is Rs.270.00 lakh (Rupees Two hundred Seventy lakhs only) under 0.50% QC charges for the financial year 2014-15.

Dr. K.S. JAWAHAR REDDY  
SECRETARY TO GOVERNMENT

//FORWARDED BY ORDER//

SECTION OFFICER